

In some cases of missing data, values have been imputed as part of analysis.

Question on Form	SAS Variable Name	Label	Type	Length	Format	Range/Codelist/Description
	DATASRC	Data Source	Char	4		0007
	PDDOCID	PD-DOC ID	Char	8		De-identified ID
	week	Week recorded on CRF	Num	8		
	SITE	Site Number	Num	8		A number is assigned to each site.
	TREAT	Treatment	Num	8		1=TVP-1012 2MG 2 =Placebo (only including placebo data per agreement with Sponsor) 3=TVP-1012 1MG
derived	age	Age at enrollment	Num	8		date of birth - enrollment date (If age is GT 89 set to missing)
derived	agegt89	Age greater than 89?	Num	8		1=Yes
derived	enrollyr	Enrollment year	Num	8		
		Form 1100 History/Demographic				
derived	formdemo	1100 Demographics	Num	8		0=Missing Form 1=Form is present
2	demo02	02 Gender	Num	8		1=Male 2=Female
3	demo03	03 Race	Num	8		1=Caucasian 4=Asian 2=Black 5=American Indian 3=Hispanic 6=Other
4	demo04	04 Hospitalized	Num	8		1=Yes 2=No
5a	demo05a	05a Pulmonary	Num	8		0=None 1=Current 2=Past
5b	demo05b	05b Cardiovascular	Num	8		0=None 1=Current 2=Past

TEMPO Data Dictionary

ver. 05/2010

5c	demo05c	05c Hepatobilliary	Num	8	0=None 1=Current 2=Past
5d	demo05d	05d Gastrointestinal	Num	8	0=None 1=Current 2=Past
5e	demo05e	05e Hemato-Lymphatic	Num	8	0=None 1=Current 2=Past
5f	demo05f	05f Dermatologic	Num	8	0=None 1=Current 2=Past
5g	demo05g	05g Renal	Num	8	0=None 1=Current 2=Past
5h	demo05h	05h Genito-Urinary	Num	8	0=None 1=Current 2=Past
5i	demo05i	05i Ophthalmic	Num	8	0=None 1=Current 2=Past
5j	demo05j	05j Ear,Nose,Throat	Num	8	0=None 1=Current 2=Past
5k	demo05k	05k Musculoskeletal	Num	8	0=None 1=Current 2=Past
5l	demo05l	05l Metabolic/Endocrine	Num	8	0=None 1=Current 2=Past
5m	demo05m	05m Neurologic	Num	8	0=None 1=Current 2=Past
5n	demo05n	05n Psychiatric	Num	8	0=None 1=Current 2=Past
5o	demo05o	05o Allergy/Immunological	Num	8	0=None 1=Current 2=Past
5p	demo05p	05p Other	Num	8	0=None 1=Current 2=Past
6	demo06	06 Drug Abuse	Num	8	1=Yes 2=No
7	demo07	07 Alcohol consumption	Num	8	1=Yes 2=No
8	demo08	08 Number of Glasses	Num	8	
9	demo09	09 Smoking	Num	8	0=None 1=Current 2=Past
10	demo10	10 Pack-Years	Num	8	If past or current in ques. 9 then this is calculated as (No. packs/day X No. of smoking years)
11	demo11	11Year Subject Quit Smoking	Num	8	
13a	demo13a	13a Tremor	Num	8	1=Yes 2=No 3=Unknown
13b	demo13b	13b Rigidity	Num	8	1=Yes 2=No 3=Unknown
13c	demo13c	13c Bradykinesia	Num	8	1=Yes 2=No 3=Unknown
13d	demo13d	13d Postural Disturbances	Num	8	1=Yes 2=No 3=Unknown
13e	demo13e	13e Other	Num	8	1=Yes 2=No 3=Unknown
derived	demodays	Days from BL to evaluation date (History/Demographic Form)	Num	8	Evaluation date - Enrollment date
derived	onsetdays	Days from BL to PD onset date (History/Demographic Form)	Num	8	Evaluation date - PD Onset date
derived	demoyear	History/Demographics Year	Num	8	YYYY
derived	dob_yr	Year of birth	Num	8	YYYY
Form 1400 Inclusion/Exclusion Review					
derived	forminex	Inclusion/Exclusion	Num	8	0=Missing Form 1=Form is present
1	inex01	01 PD Confirmed	Num	8	1=Yes 2=No
2	inex02	02 Birth Control	Num	8	1=Yes 2=No 3=NA
3	inex03	03 Negative Pregnancy	Num	8	1=Yes 2=No 3=NA
4	inex04	04 Age>=35	Num	8	1=Yes 2=No
5	inex05	05 H/Y<=3	Num	8	1=Yes 2=No

TEMPO Data Dictionary

ver. 05/2010

6a	inex06a	06a Off 60 days	Num	8	1=Yes 2=No 3=NA criteria change ~ 1 yr later to off 42 days
6b	inex06b	06b Stable 60 days	Num	8	1=Yes 2=No 3=NA
6c	inex06c	06c Off 42 days	Num	8	1=Yes 2=No 3=NA
7	inex07	07 Selegiline stable 90	Num	8	1=Yes 2=No 3=NA
8	inex08	08 Off 14 days	Num	8	1=Yes 2=No 3=NA criteria change ~ 1 yr later to off 7 days
9	inex09	09 Malignancy,vascular disease	Num	8	1=Yes 2=No
10	inex10	10 Cardiovascular	Num	8	1=Yes 2=No
11	inex11	11 Hyper/Hypotension	Num	8	1=Yes 2=No
12	inex12	12 MMSE<=23	Num	8	1=Yes 2=No
13	inex13	13 Psychiatric Illness	Num	8	1=Yes 2=No
14	inex14	14 Depression	Num	8	1=Yes 2=No
15	inex15	15 Abnormal Laboratory	Num	8	1=Yes 2=No
16	inex16	16 Drug Abuse	Num	8	1=Yes 2=No
17	inex17	17 Other Clinical Trial	Num	8	1=Yes 2=No
18	inex18	18 Selegiline AE	Num	8	1=Yes 2=No
19	inex19	19 Tyramine AE	Num	8	1=Yes 2=No
20	inex20	20 Consent	Num	8	1=Yes 2=No
21	inex21	21 Eligible	Num	8	1=Yes 2=No
21	inex23	23 Withdrawn from dextromethrophan	Char	1	1=Yes 2=No 3=NA, X= amendment not in effect
21	inex24	24 Withdrawn from gentamicin	Char	1	1=Yes 2=No 3=NA, X= amendment not in effect
21	inex25	25 Withdrawn from St. Johns Wort	Char	1	1=Yes 2=No 3=NA, X= amendment not in effect
21	inex26	26 Participated in rasagiline trial	Char	1	1=Yes 2=No, X= amendment not in effect
derived	inexdays	Days from BL to evaluation date (Inclusion/Exclusion Form)	Num	8	Evaluation date - Enrollment date
Form 1450 Subject Disposition					
derived	formdisp	1450 Disposition	Num	8	0=Missing Form 1=Form is present
1	disp01	01 Disposition	Num	8	1 = subject qualifies for this clinical trial 2 = subject does not meet inclusion/exclusion criteria 3 = subject deceased 4 = subject decided to withdraw 5 = subject lost to follow-up during screening 6 = Other
derived	dispdays	Days from BL to evaluation date (Subject Disposition Form)	Num	8	Evaluation date - Enrollment date

TEMPO Data Dictionary

ver. 05/2010

		Form 1500 Physical Exam			
derived	formphys	1500 Physical	Num	8	0=Missing Form 1=Form is present
1	phys01	01 Skin	Num	8	1=Normal 2=Abnormal
2	phys02	02 Head/Neck	Num	8	1=Normal 2=Abnormal
3	phys03	03 Ears/Nose/Throat	Num	8	1=Normal 2=Abnormal
4	phys04	04 Lungs/Chest	Num	8	1=Normal 2=Abnormal
5	phys05	05 Breasts	Num	8	1=Normal 2=Abnormal
6	phys06	06 Cardiovascular	Num	8	1=Normal 2=Abnormal
7	phys07	07 Abdomen	Num	8	1=Normal 2=Abnormal
8	phys08	08 Musculoskeletal	Num	8	1=Normal 2=Abnormal
9	phys09	09 Lymphatic	Num	8	1=Normal 2=Abnormal
10	phys10	10 Peripheral Vascular	Num	8	1=Normal 2=Abnormal
11	phys11	11 Other	Num	8	1=Normal 2=Abnormal
12	phys12	12 Mood	Num	8	1=depression 2=sadness 3=normal 4=euphoria 5=mania psychosis
13	phys13	13 Speech	Num	8	1=Normal 2=Abnormal
14a	phys14a	14a CN 1	Num	8	1=Normal 2=Abnormal
14b	phys14b	14b CN 2	Num	8	1=Normal 2=Abnormal
14c	phys14c	14c CN 3,4,6	Num	8	1=Normal 2=Abnormal
14d	phys14d	14d CN 5	Num	8	1=Normal 2=Abnormal
14e	phys14e	14e CN 7	Num	8	1=Normal 2=Abnormal
14f	phys14f	14f CN 8	Num	8	1=Normal 2=Abnormal
14g	phys14g	14g CN 9,10	Num	8	1=Normal 2=Abnormal
14h	phys14h	14h CN 11	Num	8	1=Normal 2=Abnormal
14i	phys14i	14i CN 12	Num	8	1=Normal 2=Abnormal
15al	phys15al	15aL Strength Upper	Num	8	1=Normal 2=Abnormal
15ar	phys15ar	15aR Strength Upper	Num	8	1=Normal 2=Abnormal
15bl	phys15bl	15bL Strength Lower	Num	8	1=Normal 2=Abnormal
15br	phys15br	15bR Strength Lower	Num	8	1=Normal 2=Abnormal
15cl	phys15cl	15cL Tone Upper	Num	8	1=Normal 2=Abnormal
15cr	phys15cr	15cR Tone Upper	Num	8	1=Normal 2=Abnormal
15dl	phys15dl	15dL Tone Lower	Num	8	1=Normal 2=Abnormal
15dr	phys15dr	15dR Tone Lower	Num	8	1=Normal 2=Abnormal
16al	phys16al	16aL Rapid Movement	Num	8	1=Normal 2=Abnormal
16ar	phys16ar	16aR Rapid Movement	Num	8	1=Normal 2=Abnormal
16bl	phys16bl	16bL Finger Nose	Num	8	1=Normal 2=Abnormal
16br	phys16br	16bR Finger Nose	Num	8	1=Normal 2=Abnormal
17al	phys17l	17L Gait	Num	8	1=Normal 2=Abnormal
17ar	phys17r	17R Gait	Num	8	1=Normal 2=Abnormal

TEMPO Data Dictionary

ver. 05/2010

18al	phys18al	18aL Reflex Upper	Num	8	1=Normal 2=Abnormal
18ar	phys18ar	18aR Reflex Upper	Num	8	1=Normal 2=Abnormal
18bl	phys18bl	18bL Reflex Lower	Num	8	1=Normal 2=Abnormal
18br	phys18br	18bR Reflex Lower	Num	8	1=Normal 2=Abnormal
18cl	phys18cl	18cL Reflex Babinski	Num	8	1=Normal 2=Abnormal 3=Absent 4=Present
18cr	phys18cr	18cR Reflex Babinski	Num	8	1=Normal 2=Abnormal 3=Absent 4=Present
19a	phys19al	19aL Pain	Num	8	1=Normal 2=Abnormal 3=Untestable
19aa	phys19ar	19aR Pain	Num	8	1=Normal 2=Abnormal 3=Untestable
19b	phys19bl	19bL Light Touch	Num	8	1=Normal 2=Abnormal 3=Untestable
19bb	phys19br	19bR Light Touch	Num	8	1=Normal 2=Abnormal 3=Untestable
19c	phys19cl	19cL Position	Num	8	1=Normal 2=Abnormal 3=Untestable
19cc	phys19cr	19cR Position	Num	8	1=Normal 2=Abnormal 3=Untestable
19d	phys19dl	19dL Vibration	Num	8	1=Normal 2=Abnormal 3=Untestable
19dd	phys19dr	19dR Vibration	Num	8	1=Normal 2=Abnormal 3=Untestable
derived	physdays	Days from BL to evaluation date (Physical Exam Form)	Num	8	Evaluation date - Enrollment date
		Form 2000 UPDRS			
derived	formupdr	2000 UPDRS	Num	8	0=Missing Form 1=Form is present
1	updr01	01 Intellect Impair	Num	8	0 = None 1 = Mild. Consistent forgetfulness with partial recollection of events and no other difficulties 2 = Moderate memory loss, with disorientation and moderate difficulty handling complex problems. Mild but definite impairment of function at home with need of occasional prompting. 3 = Severe memory loss with disorientation for time and often to place. Severe impairment in handling problems. 4 = Severe memory loss with orientation preserved to person only. Unable to make judgements or solve problems. Requires much help with personal care. Cannot be left alone at all.
2	updr02	02 Thought Disorder	Num	8	0 = None 1 = Vivid dreaming 2 = "Benign" hallucinations with insight retained 3 = Occasional to frequent hallucinations or delusions; without insight; could interfere with daily activities 4 = Persistent hallucinations, delusions, or florid psychosis. Not able to care for self.

TEMPO Data Dictionary

ver. 05/2010

3	updr03	03 Depression	Num	8	<p>0 = Not present</p> <p>1 = Periods of sadness or guilt greater than normal, never sustained for days or weeks.</p> <p>2 = Sustained depression (1 week or more)</p> <p>3 = Sustained depression with vegetative symptoms (insomnia, anorexia, weight loss, loss of interest)</p> <p>4 = Sustained depression with vegetative symptoms and suicidal thoughts or intents</p>
4	updr04	04 Motivation/Initiative	Num	8	<p>0 = Normal</p> <p>1 = Less assertive than usual; more passive</p> <p>2 = Loss of initiative or disinterest in elective (non-routine) activities</p> <p>3 = Loss of initiative or disinterest in day-to-day (routine) activities</p> <p>4 = Withdrawn, complete loss of motivation</p>
5	updr05	05 Speech	Num	8	<p>0 = Normal</p> <p>1 = Mildly affected. No difficulty being understood</p> <p>2 = Moderately affected. Sometimes asked to repeat statements</p> <p>3 = Severely affected. Frequently asked to repeat statements</p> <p>4 = Unintelligible most of the time</p>
6	updr06	06 Salivation	Num	8	<p>0 = Normal</p> <p>1 = Slight but definite excess of saliva in mouth; may have nighttime drooling</p> <p>2 = Moderately excessive saliva in mouth; may have minimal drooling</p> <p>3 = Marked excess of saliva with some drooling</p> <p>4 = Marked drooling, requires constant tissue or handkerchief</p>
7	updr07	07 Swallowing	Num	8	<p>0 = Normal</p> <p>1 = Rare choking</p> <p>2 = Occasional choking</p> <p>3 = Requires soft food</p> <p>4 = Requires NG tube or gastrostomy feeding</p>
8	updr08	08 Handwriting	Num	8	<p>0 = Normal</p> <p>1 = Slightly slow or small</p> <p>2 = Moderately slow or small; all words are legible</p> <p>3 = Severely affected; not all words are legible</p> <p>4 = The majority of words are not legible</p>

TEMPO Data Dictionary

ver. 05/2010

9	updr09	09 Cutting Food	Num	8	0 = Normal 1 = Somewhat slow and clumsy, but no help needed 2 = Can cut most foods, although clumsy and slow; some help needed 3 = Food must be cut by someone, but can still feed slowly 4 = Needs to be fed
10	updr10	10 Dressing	Num	8	0 = Normal 1 = Somewhat slow and clumsy, but no help needed 2 = Occasional assistance with buttoning, getting arms in sleeves 3 = Considerable help required, but can do some things alone 4 = Helpless
11	updr11	11 Hygiene	Num	8	0 = Normal 1 = Somewhat slow and clumsy, but no help needed 2 = Needs help to shower or bathe; or very slow in hygienic care 3 = Requires assistance for washing, brushing teeth, combing hair, going to bathroom 4 = Foley catheter or other mechanical aids
12	updr12	12 Turning in Bed	Num	8	0 = Normal 1 = Somewhat slow and clumsy, but no help needed 2 = Can turn alone or adjust sheets, but with great difficulty 3 = Can initiate, but not turn or adjust sheets alone 4 = Helpless
13	updr13	13 Falling	Num	8	0 = None 1 = Rare falling 2 = Occasional falls, less than once per day 3 = Falls an average of once daily 4 = Falls more than once daily
14	updr14	14 Freezing	Num	8	0 = None 1 = Rare freezing when walking; may have start-hesitation 2 = Occasional freezing when walking 3 = Frequent freezing. Occasionally falls from freezing 4 = Frequent falls from freezing
15	updr15	15 Walking	Num	8	0 = Normal 1 = Mild difficulty. May not swing arms or may tend to drag leg 2 = Moderate difficulty, but requires little or no assistance 3 = Severe disturbance of walking, requiring assistance 4 = Cannot walk at all, even with assistance

TEMPO Data Dictionary

ver. 05/2010

16a	updr16a	16a Tremor:RA	Num	8	0 = Absent 1 = Slight and infrequently present 2 = Moderate;bothersome to patient 3 = Severe;interferes with many activities 4 = Marked;interferes with most activities
16b	updr16b	16b Tremor:LA	Num	8	0 = Absent 1 = Slight and infrequently present 2 = Moderate;bothersome to patient 3 = Severe;interferes with many activities 4 = Marked;interferes with most activities
17	updr17	17 Sensory Complaints	Num	8	0 = None 1 = Occasionally has numbness,tingling, or mild aching 2 = Frequently has numbness,tingling, or aching;not distressing 3 = Frequent painful sensations 4 = Excruciating pain
18	updr18	18 Speech	Num	8	0 = Normal 1 = Slight loss of expression, diction and/or volume 2 = Monotone,slurred but understandable;moderately impaired 3 = Marked impairment,difficult to understand 4 = Unintelligible (half point are allowed, e.g. 0.5,1.5, 2.5)
19	updr19	19 Facial Expression	Num	8	0 = Normal 1 = Slight hypomimia,could be normal "Poker Face" 2 = Slight but definitely abnormal diminution of facial expression 3 = Moderate hypomimia;lips parted some of the time 4 = Masked or fixed facies with severe or complete loss of facial expression; lips parted 1/4 inch or more (half point are allowed, e.g. 0.5,1.5, 2.5)
20	updr20	20 Tremor:Face	Num	8	0 = Absent 1 = Slight and infrequently present 2 = Mild in amplitude and present most of the time or moderate in amplitude, but only intermittently present 3 = Moderate in amplitude and present most of the time 4 = Marked in amplitude and present most of the time (half point are allowed, e.g. 0.5,1.5, 2.5)

TEMPO Data Dictionary

ver. 05/2010

21	updr21	21 Tremor:RH	Num	8	0 = Absent 1 = Slight and infrequently present 2 = Mild in amplitude and present most of the time or moderate in amplitude, but only intermittently present 3 = Moderate in amplitude and present most of the time 4 = Marked in amplitude and present most of the time (half point are allowed, e.g. 0.5,1.5, 2.5)
22	updr22	22 Tremor:LH	Num	8	0 = Absent 1 = Slight and infrequently present 2 = Mild in amplitude and present most of the time or moderate in amplitude, but only intermittently present 3 = Moderate in amplitude and present most of the time 4 = Marked in amplitude and present most of the time (half point are allowed, e.g. 0.5,1.5, 2.5)
23	updr23	23 Tremor:RF	Num	8	0 = Absent 1 = Slight and infrequently present 2 = Mild in amplitude and present most of the time or moderate in amplitude, but only intermittently present 3 = Moderate in amplitude and present most of the time 4 = Marked in amplitude and present most of the time (half point are allowed, e.g. 0.5,1.5, 2.5)
24	updr24	24 Tremor:LF	Num	8	0 = Absent 1 = Slight and infrequently present 2 = Mild in amplitude and present most of the time or moderate in amplitude, but only intermittently present 3 = Moderate in amplitude and present most of the time 4 = Marked in amplitude and present most of the time (half point are allowed, e.g. 0.5,1.5, 2.5)
25	updr25	25 Action Tremor:RH	Num	8	0 = Absent 1 = Slight; present with action 2 = Moderate in amplitude; present with action 3 = Moderate in amplitude with posture holding as well as action 4 = Marked amplitude; interferes with feeding (half point are allowed, e.g. 0.5,1.5, 2.5)
26	updr26	26 Action Tremor:LH	Num	8	0 = Absent 1 = Slight; present with action 2 = Moderate in amplitude; present with action 3 = Moderate in amplitude with posture holding as well as action 4 = Marked amplitude; interferes with feeding (half point are allowed, e.g. 0.5,1.5, 2.5)

TEMPO Data Dictionary

ver. 05/2010

27	updr27	27 Rigidity:Neck	Num	8	0 = Absent 1 = Slight or detectable only when activated by mirror or other movements 2 = Mild to moderate 3 = Marked, but full range of motion easily achieved 4 = Severe, range of motion achieved with difficulty (half point are allowed, e.g. 0.5,1.5, 2.5)
28	updr28	28 Rigidity:RUE	Num	8	0 = Absent 1 = Slight or detectable only when activated by mirror or other movements 2 = Mild to moderate 3 = Marked, but full range of motion easily achieved 4 = Severe, range of motion achieved with difficulty (half point are allowed, e.g. 0.5,1.5, 2.5)
29	updr29	29 Rigidity:LUE	Num	8	0 = Absent 1 = Slight or detectable only when activated by mirror or other movements 2 = Mild to moderate 3 = Marked, but full range of motion easily achieved 4 = Severe, range of motion achieved with difficulty (half point are allowed, e.g. 0.5,1.5, 2.5)
30	updr30	30 Rigidity:RLE	Num	8	0 = Absent 1 = Slight or detectable only when activated by mirror or other movements 2 = Mild to moderate 3 = Marked, but full range of motion easily achieved 4 = Severe, range of motion achieved with difficulty (half point are allowed, e.g. 0.5,1.5, 2.5)
31	updr31	31 Rigidity:LLE	Num	8	0 = Absent 1 = Slight or detectable only when activated by mirror or other movements 2 = Mild to moderate 3 = Marked, but full range of motion easily achieved 4 = Severe, range of motion achieved with difficulty (half point are allowed, e.g. 0.5,1.5, 2.5)
32	updr32	32 Finger Taps:RH	Num	8	0 = Normal (>15/5 sec) 1 = Mild slowing and/or reduction in amplitude (11 - 14/5 sec). 2 = Moderately impaired. Definite and early fatiguing. May have occasional arrests in movement (7 - 10/5 sec) 3 = Severely impaired. Frequent hesitation in initiating movements or arrests in ongoing movement (3 - 6/5 sec) 4 = Can barely perform the task (0 - 2/5 sec) (half point are allowed, e.g. 0.5,1.5, 2.5)

TEMPO Data Dictionary

ver. 05/2010

33	updr33	33 Finger Taps:LH	Num	8	<p>0 = Normal (>15/5 sec) 1 = Mild slowing and/or reduction in amplitude (11 - 14/5 sec). 2 = Moderately impaired. Definite and early fatiguing. May have occasional arrests in movement (7 - 10/5 sec) 3 = Severely impaired. Frequent hesitation in initiating movements or arrests in ongoing movement (3 - 6/5 sec) 4 = Can barely perform the task (0 - 2/5 sec) (half point are allowed, e.g. 0.5,1.5, 2.5)</p>
34	updr34	34 Hand Movement:R	Num	8	<p>0 = Normal 1 = Mild slowing and/or reduction in amplitude 2 = Moderately impaired. Definite and early fatiguing. May have occasional arrests in movement 3 = Severely impaired. Frequent hesitation in initiating movements or arrests in ongoing movement 4 = Can barely perform the task (half point are allowed, e.g. 0.5,1.5, 2.5)</p>
35	updr35	35 Hand Movement:L	Num	8	<p>0 = Normal 1 = Mild slowing and/or reduction in amplitude 2 = Moderately impaired. Definite and early fatiguing. May have occasional arrests in movement 3 = Severely impaired. Frequent hesitation in initiating movements or arrests in ongoing movement 4 = Can barely perform the task (half point are allowed, e.g. 0.5,1.5, 2.5)</p>
36	updr36	36 Rapid Alt Move:R	Num	8	<p>0 = Normal 1 = Mild slowing and/or reduction in amplitude 2 = Moderately impaired. Definite and early fatiguing. May have occasional arrests in movement 3 = Severely impaired. Frequent hesitation in initiating movements or arrests in ongoing movement 4 = Can barely perform the task (half point are allowed, e.g. 0.5,1.5, 2.5)</p>
37	updr37	37 Rapid Alt Move:L	Num	8	<p>0 = Normal 1 = Mild slowing and/or reduction in amplitude 2 = Moderately impaired. Definite and early fatiguing. May have occasional arrests in movement 3 = Severely impaired. Frequent hesitation in initiating movements or arrests in ongoing movement 4 = Can barely perform the task (half point are allowed, e.g. 0.5,1.5, 2.5)</p>

TEMPO Data Dictionary

ver. 05/2010

38	updr38	38 Leg Agility:R	Num	8	<p>0 = Normal 1 = Mild slowing and/or reduction in amplitude 2 = Moderately impaired. Definite and early fatiguing. May have occasional arrests in movement 3 = Severely impaired. Frequent hesitation in initiating movements or arrests in ongoing movement 4 = Can barely perform the task (half point are allowed, e.g. 0.5,1.5, 2.5)</p>
39	updr39	39 Leg Agility:L	Num	8	<p>0 = Normal 1 = Mild slowing and/or reduction in amplitude 2 = Moderately impaired. Definite and early fatiguing. May have occasional arrests in movement 3 = Severely impaired. Frequent hesitation in initiating movements or arrests in ongoing movement 4 = Can barely perform the task (half point are allowed, e.g. 0.5,1.5, 2.5)</p>
40	updr40	40 Arising Chair	Num	8	<p>0 = Normal 1 = Slow; or may need more than one attempt 2 = Pushes self up from arms of seat 3 = Tents to fall back and may have to try more than one time, but can get up without help 4 = Unable to arise without help (half point are allowed, e.g. 0.5,1.5, 2.5)</p>
41	updr41	41 Posture	Num	8	<p>0 = Normal erect 1 = Not quite erect, slightly stooped posture; could be normal for older person 2 = Moderately stooped posture, definitely abnormal; can be leaning slightly to one side 3 = Severely stooped posture with kyphosis; can be leaning moderately to one side 4 = Marked flexion with extreme abnormality of posture (half point are allowed, e.g. 0.5,1.5, 2.5)</p>
42	updr42	42 Gait	Num	8	<p>0 = Normal 1 = Walks slowly, may shuffle with short steps, but no festination or propulsion 2 = Walks with difficulty, but requires little or no assistance; may have some festination, short steps, or propulsion 3 = Severe disturbance of gait, requiring assistance 4 = Cannot walk at all even with assistance (half point are allowed, e.g. 0.5,1.5, 2.5)</p>

TEMPO Data Dictionary

ver. 05/2010

43	updr43	43 Postural Stability	Num	8	0 = Normal 1 = Retropulsion, but recovers unaided 2 = Absence of postural response; would fall if not caught by examiner 3 = Very unstable, tends to lose balance spontaneously 4 = Unable to stand without assistance (half point are allowed, e.g. 0.5,1.5, 2.5)
44	updr44	44 Bradykinesia	Num	8	0 = None 1 = Minimal slowness, giving movement a deliberate character; could be normal for some persons. Possible reduced amplitude 2 = Mild degree of slowness and poverty of movement which is definitely abnormal. Alternatively, some reduced amplitude 3 = Moderate slowness,poverty or small amplitude of movement 4 = Marked slowness, poverty or small amplitude of movement (half point are allowed, e.g. 0.5,1.5, 2.5)
45	updr45	45 S/E ADL Subject	Num	8	0 - 100%
46	updr46	46 S/E ADL	Num	8	0 - 100%
47	updr47	47 H/Y Stage	Num	8	Stage 0.0 = Asymptomatic Stage 1.0 = Unilateral involvement only Stage 1.5 = Unilateral and axial involvement Stage 2.0 = Bilateral involvement without impairment of balance Stage 2.5 = Mild bilateral involvement with recovery on retropulsion (pull) test Stage 3.0 = Mild to moderate bilateral involvement; some postural instability but physically independent; needs assistance to recover from pull test Stage 4.0 = Severe disability; still able to walk or stand unassisted Stage 5.0 = Wheelchair, bound or bedridden unless aided
derived	updrment	UPDRS Mental 1-4	Num	8	UPDRS Mental sum questions 1-4
derived	updradl	UPDRS ADL 5-17	Num	8	sum of questions 5-17 $q16=(16a \text{ and } 16b)/2$
derived	updrmotr	UPDRS Motor 18-44	Num	8	UPDRS Motor sum questions 18-44

TEMPO Data Dictionary

ver. 05/2010

derived	updrs	UPDRS 1-44	Num	8	UPDRS sum questions 1-44
derived	updrtrmr	Tremor 16,20-26	Num	8	Tremor sum questions 16 and 20-26
derived	updrrgid	Rigidity 27-31	Num	8	Rigidity sum questions 27-31
derived	updrbrdy	Bradykinesia 32-39,44	Num	8	Bradykinesia sum questions 32-39 and 44
derived	updrpigd	PIGD 13-15,42,43	Num	8	PIGD sum questions 13-15 and 42-43
derived	updrdays	Days from BL to evaluation date (UPDRS Form)	Num	8	Evaluation date - Enrollment date
Form 2100 Timed Motor Tests					
derived	formmotr	2100 Timed Motor	Num	8	0=Missing Form 1=Form is present
1.1 left	motr01la	1la Pron-Supin L1	Num	8	recorded in seconds, 1 to 3 digit number
1.2 left	motr01lb	1lb Pron-Supin L2	Num	8	recorded in seconds, 1 to 3 digit number
1.1 right	motr01ra	1ra Pron-Supin R1	Num	8	recorded in seconds, 1 to 3 digit number
1.2 right	motr01rb	1rb Pron-Supin R2	Num	8	recorded in seconds, 1 to 3 digit number
2.1 left	motr02la	2la Hand/Arm L1	Num	8	recorded in seconds, 1 to 3 digit number
2.2 left	motr02lb	2lb Hand/Arm L2	Num	8	recorded in seconds, 1 to 3 digit number
2.1 right	motr02ra	2ra Hand/Arm R1	Num	8	recorded in seconds, 1 to 3 digit number
2.2 right	motr02rb	2rb Hand/Arm R2	Num	8	recorded in seconds, 1 to 3 digit number
3.1 left	motr03la	3la Finger L1	Num	8	recorded in seconds, 1 to 3 digit number
3.2 left	motr03lb	3lb Finger L2	Num	8	recorded in seconds, 1 to 3 digit number
3.1 right	motr03ra	3ra Finger R1	Num	8	recorded in seconds, 1 to 3 digit number
3.2 right	motr03rb	3rb Finger R2	Num	8	recorded in seconds, 1 to 3 digit number
derived	MOTR01L	1l Pron-Supin L best	Num	8	recorded in seconds, 1 to 3 digit number
derived	MOTR01R	1r Pron-Supin R best	Num	8	recorded in seconds, 1 to 3 digit number
derived	MOTR02L	2l Hand/Arm L best	Num	8	recorded in seconds, 1 to 3 digit number
derived	MOTR02R	2r Hand/Arm R best	Num	8	recorded in seconds, 1 to 3 digit number
derived	MOTR03L	3l Finger L best	Num	8	recorded in seconds, 1 to 3 digit number
derived	MOTR03R	3r Finger R best	Num	8	recorded in seconds, 1 to 3 digit number
derived	motrscr	Timed Motor Score	Num	8	$\text{motrscr} = (\text{motr01l} + \text{motr01r} + \text{motr02l} + \text{motr02r} + \text{motr03l} + \text{motr03r}) / 6$ There are 3 tests for motrscr. Each test has 2 trials. The highest score a or b is used in the calculation

TEMPO Data Dictionary

ver. 05/2010

derived	motrdays	Days from BL to evaluation date (Timed Motor Tests Form)	Num	8	Evaluation date - Enrollment date
		Form 2200 Quality of Life			NOTE: For qol01-qol33 the same imputation is used. If 5 or fewer components(qol01-qol33) are missing then each missing value is set to the mean of qol01-qol33. If more are missing these individual items remain missing.
	formqol	2200 QOL	Num	8	0=Missing Form 1=Form is present
1	qol01	01 Lightheaded	Num	8	0 = Never 1 = Rarely 2 = Sometimes 3 = Occasionally 4 = Always
2	qol02	02 Balance	Num	8	0 = Never 1 = Rarely 2 = Sometimes 3 = Occasionally 4 = Always
3	qol03	03 Swallowing	Num	8	0 = Never 1 = Rarely 2 = Sometimes 3 = Occasionally 4 = Always
4	qol04	04 Communication	Num	8	0 = Never 1 = Rarely 2 = Sometimes 3 = Occasionally 4 = Always
5	qol05	05 Night Bathroom	Num	8	0 = Never 1 = Rarely 2 = Sometimes 3 = Occasionally 4 = Always
6	qol06	06 Hand/Feet Numb	Num	8	0 = Never 1 = Rarely 2 = Sometimes 3 = Frequently 4 = Always

TEMPO Data Dictionary

ver. 05/2010

7	qol07	07 Bladder Control	Num	8	0 = Never 1 = Rarely 2 = Sometimes 3 = Frequently 4 = Always
8	qol08	08 Constipation	Num	8	0 = Never 1 = Rarely 2 = Sometimes 3 = Frequently 4 = Always
9	qol09	09 Falling Asleep	Num	8	0 = Never 1 = Rarely 2 = Sometimes 3 = Frequently 4 = Always
10	qol10	10 Staying Asleep	Num	8	0 = Never 1 = Rarely 2 = Sometimes 3 = Frequently 4 = Always (CONTAINS ONE IMPUTED VALUE OF 1.39)
11	qol11	11 Positive Outlook	Num	8	0 = Always 1 = Frequently 2 = Sometimes 3 = Rarely 4 = Never
12	qol12	12 Burden to Others	Num	8	0 = Never 1 = Rarely 2 = Sometimes 3 = Frequently 4 = Always
13	qol13	13 Social Activities	Num	8	0 = Strongly Agree 3 = Somewhat Disagree 1 = Somewhat Agree 4 = Strongly Disagree 2 = Agree
14	qol14	14 Worry	Num	8	0 = Always 3 = Rarely 1 = Frequently 4 = Never 2 = Sometimes
15	qol15	15 Asking Help	Num	8	0 = Never 3 = Frequently 1 = Rarely 4 = Always 2 = Sometimes

TEMPO Data Dictionary

ver. 05/2010

16	qol16	16 Depend on Others	Num	8	0 = Never 1 = Rarely 2 = Sometimes 3 = Frequently 4 = Always
17	qol17	17 Adjust Changes	Num	8	0 = Very 1 = Moderately 2 = Somewhat 3 = Slightly 4 = Not at All
18	qol18	18 -Affect Satisfaction	Num	8	0 = Strongly Agree 1 = Somewhat Agree 2 = Agree 3 = Somewhat Disagree 4 = Strongly Disagree
19	qol19	19 Traveling	Num	8	0 = Strongly Agree 1 = Somewhat Agree 2 = Agree 3 = Somewhat Disagree 4 = Strongly Disagree
20	qol20	20 Family Role	Num	8	0 = Strongly Agree 1 = Somewhat Agree 2 = Agree 3 = Somewhat Disagree 4 = Strongly Disagree
21	qol21	21 Avoid Social	Num	8	0 = Always 1 = Frequently 2 = Sometimes 3 = Rarely 4 = Never
22	qol22	22 View Unchanged	Num	8	0 = Strongly Agree 1 = Somewhat Agree 2 = Agree 3 = Somewhat Disagree 4 = Strongly Disagree (CONTAINS ONE IMPUTED VALUE OF 1.97)
23	qol23	23 Personal Independent	Num	8	0 = Everyday 1 = 5-6 Days 2 = 3-4 Days 3 = 1-2 Days 4 = Never
24	qol24	24 Food Independent	Num	8	0 = Everyday 1 = 5-6 Days 2 = 3-4 Days 3 = 1-2 Days 4 = Never
25	qol25	25 Communication	Num	8	0 = Strongly Disagree 1 = Somewhat Disagree 2 = Agree 3 = Somewhat Agree 4 = Strongly Agree
26	qol26	26 Fatigue	Num	8	0 = Always 1 = Frequently 2 = Sometimes 3 = Rarely 4 = Never
27	qol27	27 Work at Home	Num	8	0 = Always 1 = Frequently 2 = Sometimes 3 = Rarely 4 = Never
28	qol28	28 Driving	Num	8	0 = Doesn't Apply 1 = Rarely 2 = Sometimes 3 = Frequently 4 = Constantly

TEMPO Data Dictionary

ver. 05/2010

29	qol29	29 Sharing Bed	Num	8	0 = Everyday 3 = 1-2 Days 1 = 5-6 Days 4 = Never/Does not apply 2 = 3-4 Days
30	qol30	30 Affection	Num	8	0 = Never/Does not apply 1 = Rarely 3 = Frequently 2 = Sometimes 4 = Always
31	qol31	31 Sexually Desirable	Num	8	0 = Strongly Agree 3 = Somewhat Disagree 1 = Somewhat Agree 4 = Strongly Disagree 2 = Agree
32	qol32	32 Financial Strain	Num	8	0 = Doesn't Apply 3 = Frequently 1 = Rarely a concern 4 = Constantly 2 = Sometimes
33	qol33	33 PD Symptoms	Num	8	0 = Much Better 3 = Somewhat Worse 1 = Somewhat Better 4 = Much Worse 2 = About the Same
	QOL11R	QOL Reverse Scale Q11	Num	8	Scale reversal of QOL11 <u>Therefore:</u> 0 becomes a 4 1 becomes a 3 2 remains a 2 3 becomes a 1 4 becomes a 0
	QOL14R	QOL Reverse Scale Q14	Num	8	Scale reversal of QOL14 <u>Therefore:</u> 0 becomes a 4 1 becomes a 3 2 remains a 2 3 becomes a 1 4 becomes a 0
	QOL17R	QOL Reverse Scale Q17	Num	8	Scale reversal of QOL17 <u>Therefore:</u> 0 becomes a 4 1 becomes a 3 2 remains a 2 3 becomes a 1 4 becomes a 0
	QOL21R	QOL Reverse Scale Q21	Num	8	Scale reversal of QOL21 <u>Therefore:</u> 0 becomes a 4 1 becomes a 3 2 remains a 2 3 becomes a 1 4 becomes a 0

TEMPO Data Dictionary

ver. 05/2010

	QOL26R	QOL Reverse Scale Q26	Num	8	Scale reversal of QOL26 <u>Therefore:</u> 0 becomes a 4 1 becomes a 3 2 remains a 2 3 becomes a 1 4 becomes a 0
	QOL27R	QOL Reverse Scale Q27	Num	8	Scale reversal of QOL27 <u>Therefore:</u> 0 becomes a 4 1 becomes a 3 2 remains a 2 3 becomes a 1 4 becomes a 0
	QOL29R	QOL Reverse Scale Q29	Num	8	Scale reversal of QOL29 <u>Therefore:</u> 0 becomes a 4 1 becomes a 3 2 remains a 2 3 becomes a 1 4 becomes a 0
	QOL31R	QOL Reverse Scale Q31	Num	8	Scale reversal of QOL31 <u>Therefore:</u> 0 becomes a 4 1 becomes a 3 2 remains a 2 3 becomes a 1 4 becomes a 0 (IMPUTED VALUES HAVE 2 DECIMAL PLACES)
derived	QOLSCOR	QOL Score	Num	8	Sum of QOL1 to QOL33 using scale reversals for questions 11, 14, 17, 21, 26, 27, 29, 31 If answers to more than 5 questions were missing QOLSCOR is set to missing. If 5 or less are missing then the missing value is filled with the mean of the values present. (IMPUTED VALUES HAVE 2 DECIMAL PLACES)
derived	qoldays	Days from BL to evaluation date (Quality of Life Scale Form)	Num	8	Evaluation date - Enrollment date
		Form 2300 Clinical Global Impression			
derived	formcgi	2300 CGI	Num	8	0=Missing Form 1=Form is present

TEMPO Data Dictionary

ver. 05/2010

1	cgi01	01 Severity	Num	8	0=Not assessed 1=Normal, not at all ill 2=Borderline ill 3=Mildly ill 4=Moderately ill 5=Markedly ill 6=Severely ill 7=Among the most extremely ill subjects
2	cgi02	02 Improvement	Num	8	0=Not assessed 1=Very much improved 2=Much improved 3=Minimally improved 4=No change 5=Minimally worse 6=Much worse 7=Very much worse
3	cgi03	03 Efficacy (basis of drug effect only)	Num	8	range 01 - 16
	cgi03a	03a Therapeutic	Num	8	$cgi03a=3-int((cgi03-1)/4.0)$ (The integer value when cgi03-1 is divided by 4)
	cgi03b	03b Side Effects	Num	8	$cgi03b=mod(cgi03-1,4)$ (The remainder of cgi03-1 divided by 4)
derived	cgidays	Days from BL to evaluation date (Clinical Global Impression Form)	Num	8	Evaluation date - Enrollment date
Form 3000 Beck Depression Scale					
derived	formbeck	3000 Beck	Num	8	0=Missing Form 1=Form is present
1	beck01	01 Sad Unhappy	Num	8	0= I do not feel sad 1= I feel sad or blue 2= I am blue or sad all the time and I can't snap out of it 3= I am so sad or unhappy that I can't stand it
2	beck02	02 Pessimistic	Num	8	0= I am not particularly pessimistic or discouraged about the future 1= I feel discouraged about the future 2= I feel I have nothing to look forward to 3= I feel that the future is hopeless and that things cannot improve
3	beck03	03 Failure	Num	8	0= I do not feel like a failure 1= I feel I have failed more than the average person 2= As I look back on my life, all I can see is a lot of failures 3= I feel I am a complete failure as a person (parent, husband, wife)

TEMPO Data Dictionary

ver. 05/2010

4	beck04	04 Dissatisfied	Num	8	0= I am not particularly dissatisfied 1= I don't enjoy things the way I used to 2= I don't get satisfaction out of anything anymore 3= I am dissatisfied with everything
5	beck05	05 Guilty	Num	8	0= I don't feel particularly guilty 1= I feel bad or unworthy a good part of the time 2= I feel quite guilty 3= I feel as though I am very bad or worthless
6	beck06	06 Disappointed	Num	8	0= I don't feel disappointed in myself 1= I am disappointed in myself 2= I am disgusted with myself 3= I hate myself
7	beck07	07 Suicide	Num	8	0= I don't have any thoughts of harming myself 1= I feel I would be better off dead 2= I have definite plans about committing suicide 3= I would kill myself if I had the chance
8	beck08	08 Lost Interest	Num	8	0= I have not lost interest in other people 1= I am less interested in other people than I used to be 2= I have lost most of my interest in other people and have little feeling for them 3= I have lost all my interest in other people and don't care about them at all
9	beck09	09 Decisions	Num	8	0= I make decisions about as well as ever 1= I try to put off making decisions 2= I have great difficulty in making decisions 3= I can't make any decisions any more
10	beck10	10 Appearance	Num	8	0= I don't feel I look any worse than I used to 1= I am worried that I am looking old or unattractive 2= I feel that there are permanent changes in my appearance and they make me look unattractive 3= I feel that I am ugly or repulsive looking
11	beck11	11 Work	Num	8	0= I can work about as well as before 1= It takes extra effort to get started at doing something 2= I have to push myself very hard to do anything 3= I can't do any work at all
12	beck12	12 Tired	Num	8	0= I don't get any more tired than usual 1= I get tired more easily than I used to 2= I get tired from doing anything 3= I get too tired to do anything

TEMPO Data Dictionary

ver. 05/2010

13	beck13	13 Appetite	Num	8	0= My appetite is no worse than usual 1= My appetite is not as good as it used to be 2=My appetite is much worse now 3= I have no appetite at all anymore
14	beck14	14 Beck Depression	Num	8	Score
derived	beckscor	Beck Depression	Num	8	sum of beck01 to beck13
derived	beckdays	Days from BL to evaluation date (BECK Depression Scale Form)	Num	8	Evaluation date - Enrollment date
Form 4000 Mini-mental State Exam					
	formmmse	4000 Mini-Mental	Num	8	0=Missing Form 1=Form is present
1	mmse01	1 Year?	Num	8	score 0 to 1 points
2	mmse02	2 Season?	Num	8	score 0 to 1 points
3	mmse03	3 Date?	Num	8	score 0 to 1 points
4	mmse04	4 Day?	Num	8	score 0 to 1 points
5	mmse05	5 Month?	Num	8	score 0 to 1 points
6	mmse06	6 State?	Num	8	score 0 to 1 points
7	mmse07	7 County?	Num	8	score 0 to 1 points
8	mmse08	8 City?	Num	8	score 0 to 1 points
9	mmse09	9 Address?	Num	8	score 0 to 1 points
10	mmse10	10 Floor?	Num	8	score 0 to 1 points
11	mmse11	11 Repeat	Num	8	score 0 to 3 points
12	mmse12	12 Serial 7s	Num	8	score 0 to 5 points
13	mmse13	13 Remember?	Num	8	score 0 to 3 points
14	mmse14	14 Watch?	Num	8	score 0 to 1 points
15	mmse15	15 pencil?	Num	8	score 0 to 1 points
16	mmse16	16 Phrase	Num	8	score 0 to 1 points
17	mmse17	17 Read	Num	8	score 0 to 1 points
18	mmse18	18 Directions	Num	8	score 0 to 3 points
19	mmse19	19 Sentence	Num	8	score 0 to 1 points
20	mmse20	20 Drawing	Num	8	score 0 to 1 points
derived	mmse scor	Mini-Mental Status	Num	8	Sum of MMSE questions 1-20
derived	mmse days	Days from BL to evaluation date (MMSE Form)	Num	8	Evaluation date - Enrollment date
Form 4200 Assess Need for Levodopa					
derived	formlevo	4200 Levodopa	Num	8	0=Missing Form 1=Form is present
1	levo01	01 Employed Full	Num	8	1= Yes 2= No

TEMPO Data Dictionary

ver. 05/2010

2	levo02	02 Threat Full-time	Num	8	1=none 2=slight but not serious (no expressed concern) 3=moderate, prompting concern by patient or family 4=moderate, prompting concern by employer 5=considerable, prompting concern by patient (or family) and employer 6=imminent, will likely lose or stop full-time work within next month N=not applicable
3	levo03	03 Employed Part	Num	8	1= Yes 2= No
4	levo04	04 Threat Part-time	Num	8	1=none 2=slight but not serious (no expressed concern) 3=moderate, prompting concern by patient or family 4=moderate, prompting concern by employer 5=considerable, prompting concern by patient (or family) and employer 6=imminent, will likely lose or stop part-time work within next month N=not applicable
5	levo05	05 Homemaker Full	Num	8	1= Yes 2= No
6	levo06	06 Threat Full Home	Num	8	1=none 2=slight but not serious (no expressed concern) 3=moderate, prompting concern by patient 4=moderate, prompting concern by family 5=considerable, prompting concern by patient and family 6=imminent, will likely need to give up full-time homemaking within next month N=not applicable
7	levo07	07 Homemaker Part	Num	8	1= Yes 2= No
8	levo08	08 Threat Part Home	Num	8	1=none 2=slight but not serious (no expressed concern) 3=moderate, prompting concern by patient 4=moderate, prompting concern by family 5=considerable, prompting concern by patient and family 6=imminent, will likely need to give up part-time homemaking within next month

TEMPO Data Dictionary

ver. 05/2010

9	levo09	09 Occupational	Num	8	0=Usual Level 1=Lower Level 2=Marginal Level 3=Unable
10	levo10	10 Finances	Num	8	0=Full 1=requires minor assistance 2=requires major assistance 3=unable
11	levo11	11 Domestic	Num	8	0=Full 1=Impaired 2=Unable
12	levo12	12 ADL	Num	8	0=Full 1=Mildly Impaired 2=Moderately Impaired 3=Severely impaired
13	levo13	13 Levodopa Warranted	Num	8	1= Yes 2= No
14	levo14	14 Reason	Num	8	1=functional disability 2=social embarrassment 3=both 4=other
15	levo15	15 Motor Problem	Num	8	1=tremor 2=rigidity 3=bradykinesia 4=gait 5=postural imbalance 6=other
16	levo16	16 Prompted By	Num	8	1=patient 2=patient's family 3=coordinator 4=investigator 5=mutual consensus by all of the above 6=other
17	levo17	17 Determined at	Num	8	1=scheduled follow-up evaluation 2=unscheduled follow-up evaluation 3=other time

TEMPO Data Dictionary

ver. 05/2010

19	levo19	19 Active Phase	Num	8		1= yes 2= subject refuses active treatment phase 3= no, investigator feels the subject should be treated with another PD medication (not Levodopa) 4= no, investigator feels subject requires levodopa now 5= other N= not applicable
21	levo21	21 Outcome	Num	8		1=the subject will be started on levodopa 2=the subject will be started on a dopamine agonist 3=the subject will be started on another PD medication other than levodopa or a dopamine agonist and terminate from the study 4=the subject will be started on another PD medication other than levodopa or a dopamine agonist and will continue in the study (47 patients had a value for this ques; data was merged in from the open label and therefore will contain the value on each of their observations, 47pt * 7visits = 329 instances)
derived	levoweek	Week they reached the need for levodopa	Num	8		
derived	daystolevo21_reco rded	Days from BL to recorded value of Levo21				Calculated number of days from BL to the form date at which this value is recorded. Will have this value on every observation due to merging this information in from the open label.
derived	levodays	Days from BL to evaluation date (Assess Need for Levodopa Form)	Num	8		Evaluation date - Enrollment date
derived	daystolevo	Days from BL to need for levodopa	Num	8		q18(Date of need levodopa) - Enrollment date
derived	daysto rasagiline	Days from BL to Active Rasagiline	Num	8		q20(Date of Active Rasagiline) - Enrollment date (placebo group only)
		Form 6100 Vitals				
	formvitl	6100 Vital Signs	Num	8		0=Missing Form 1=Form is present
1	vitl01	1 Time	Num	8	TIME5.	24 hour clock
2	vitl02	2 Height	Num	8		cm
3	vitl03	3 Weight	Num	8		Kg
4	vitl04s	4 Rest Sys BP	Num	8		
4	vitl04d	4 Rest Dia BP	Num	8		
5	vitl05s	5 Stand Sys BP	Num	8		

TEMPO Data Dictionary

ver. 05/2010

5	vitl05d	5 Stand Dia BP	Num	8	
6	vitl06	6 Rest Pulse	Num	8	beats/min
7	vitl07	7 Stand Pulse	Num	8	beats/min
8	vitl08	8 Orthostatic Hypotension	Num	8	1= Yes 2= No
	vitl_oh	Orthostatic Hypotension	Num	8	vitl_oh=0 unless vitl04s-vitl05s>20 and vitl07-vitl06>10 then vitl_oh=1 Othostatic Hypotension
	mabp_sit	MABP Rest	Num	8	mabp_sit=vitl04d+(vitl04s-vitl04d)/3.0
	mabp_std	MABP Stand	Num	8	mabp_std=vitl05d+(vitl05s-vitl05d)/3.0
derived	mabp_ss	MABP Rest-Stand	Num	8	mabp_ss=mabp_sit-mabp_std
derived	rate_ss	Pulse Rest-Stand	Num	8	rate_ss=vitl06-vitl07
derived	vitldays	Days from BL to evaluation date (Vitals Form)	Num	8	Evaluation date - Enrollment date
		Form 6200 ECG/Chest X-ray			
derived	formecg	6200 ECG	Num	8	0=Missing Form 1=Form is present
2	ecg02	2 ECG Result	Num	8	1 = Normal 2 = Abnormal, but acceptable for study 3 = Abnormal, unacceptable for study
4	ecg04	4 X-Ray Result	Num	8	1 = Normal 2 = Abnormal, but acceptable for study 3 = Abnormal, unacceptable for study
derived	ecgdays	Days from BL to evaluation date (ECG/Chest X-ray Form)	Num	8	Evaluation date - Enrollment date
derived	ecgstestdays	Days from BL to ECG date	Num	8	ECG date - Enrollment date
derived	xraytestdays	Days from BL to Chest X-ray date	Num	8	Chest X-ray date - Enrollment date
		Form 6500 Lab Tests			
	formlab	6500 Abnormal Labs	Num	8	0=Missing Form 1=Form is present
1	lab01	1 Was laboratory analysis performed?	Num	8	1 = Yes 2 = No
derived	labdays	Days from BL to evaluation date (Lab Tests Form)	Num	8	Evaluation date - Enrollment date
		Form 7000 Study Termination/Completion: Double-Blind			
	formtrm1	Termination 1	Num	8	0=Missing Form 1=Form is present
2	trm102	2 Last Visit	Num	8	

TEMPO Data Dictionary

ver. 05/2010

3	trm103	3 Completed	Num	8	1= Yes, complete double blind phase 2 = No, terminated in the double blind phase If No (2), answer the question below , otherwise enter N's
5	trm105	5 Termination Reason	Num	8	1 = Adverse experience 2 = Failed to return 3 = Event unrelated to therapy 4 = Subject's request 5 = Unsatisfactory response - lack of efficacy (as determined by patient) 6 = Protocol violation 7 = death of subject 8 = Other (specify)
derived	trm1days	Days from BL to evaluation date (Study Termination/Completion Form)	Num	8	Evaluation date - Enrollment date
derived	lstmd1days	Days from BL to last on medication date (Study Termination/Completion Form)	Num	8	Last meds date - Enrollment date
derived	term1days	Days from BL to termination date (Study Termination/Completion Form)	Num	8	Termination date - Enrollment date
		Form 9000 Signature Form			
	formsig	9000 Signature	Num	8	0=Missing Form 1=Form is present
1 - 5	sig01	1 Visit Status	Num	8	1 = Within visit window and conducted by enrolling investigator 2 = Within visit window and <u>not</u> conducted by enrolling investigator 3 = Not done 4 = Out of visit window and conducted by enrolling investigator 5 = Out of visit window and <u>not</u> conducted by enrolling investigator
derived	sigdays	Days from BL to evaluation date (Signature Form)	Num	8	Evaluation date - Enrollment date